

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Carteret Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	17	33
AIDS-CD4 Only	20	40	0	0	20	38
HIV Only	#	#	#	#	15	29
-----	-----	---	-----	---	-----	---
Total	50	100	#	#	52	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	14	28	0	0	14	27
5-12	#	#	Black, Not Hispanic	#	#	#	#	13	25
13-19	0	0	Hispanic	#	#	#	#	23	44
20-29	#	#	Other/Unknown	#	#	#	#	#	#
30-39	12	23	-----	-----	---	-----	---	-----	---
40-49	25	48	Total	50	100	#	#	52	100
50+	10	19							
Unk.	0	0							
-----	-----	---							
Total	52	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	9	31	0	0	9	18
Injection drug user (IDU)	#	#	#	#	12	24
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	6	21	16	76	22	44
Risk not reported/other***	#	#	#	#	6	12
-----	-----	---	-----	---	-----	---
Total	29	100	21	100	50	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Carteret Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	39	(36)	29 (74)	0	(0)	0 (.)	39	(35)
Other OI w/o PCP	#	(#)	# (#)	#	(#)	# (#)	39	(35)
KS Alone	#	(#)	# (#)	#	(#)	# (#)	0	(0)
No Disease Listed	33	(30)	13 (41)	0	(0)	0 (.)	33	(30)
Total	109	(100)	74 (69)	#	(#)	# (#)	111	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	#	#	White, Not Hispanic	42	39	0	0	42	38
5-12	#	#	Black, Not Hispanic	#	#	#	#	36	32
13-19	0	0	Hispanic	#	#	#	#	32	29
20-29	9	8	Other/Unknown	#	#	0	0	#	#
30-39	48	43	-----	-----	---	-----	---	-----	---
40-49	39	35	Total	109	100	#	#	111	100
Over 49	13	12							
Unknown	0	0							
Total	111	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	16	21	0	0	16	15
Injection drug user (IDU)	38	49	12	39	50	46
MSM/IDU	7	9	0	0	7	6
Heterosexual contact	7	9	16	52	23	21
Risk not reported/other***	#	#	#	#	13	12
Total	78	100	31	100	109	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Carteret Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	0	0	#
1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	#	#	#
1989	10	10	100%
1990	#	#	#
1991	10	10	100%
1992	8	7	88%
1993	12	10	83%
1994	18	11	61%
1995	5	#	#
1996	#	#	#
1997	7	#	#
1998	#	#	#
1999	#	#	#
2000	5	0	0%
2001	5	#	#
2002	5	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	111	74	67%